

# REPORT DOCUMENTATION PAGE

AFRL-SR-BL-TR-01-

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering the required data, completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not have a valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY) April 25, 2000		2. REPORT TYPE Final Technical		3. DATES COVERED (From - To) 4/1/99 to 3/31/00	
4. TITLE AND SUBTITLE Instrumentation Facility for the Evaluation of Electro-Optic and Sensor Protection Materials				5a. CONTRACT NUMBER F49620-99-1-0220	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
5. AUTHOR(S) Larry R. Dalton				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Washington Department of Chemistry Bagley Hall Seattle, WA 98195-1700				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Dr. Charles Lee, Air Force Office of Scientific Research/NL 301 N. Randolph Street Suite 732 Fairfax, VA 22203-1977				10. SPONSOR/MONITOR S ACRONYM(S)	
				11. SPONSOR/MONITOR S REPORT NUMBER(S)	

## 12. DISTRIBUTION / AVAILABILITY STATEMENT

Approved for public release: Distribution unlimited

## 13. SUPPLEMENTARY NOTES

20010116 106

## 14. ABSTRACT

An instrumentation facility for the evaluation for electro-optic and sensor protection materials has been implemented at the University of Washington. This facility is being used in the evaluation of materials of interest to defense and telecommunications industries and government laboratories including Air Force Research Laboratories. Preliminary results have shown that dendrimer materials are the materials of choice for electro-optic and sensor protection applications.

## 15. SUBJECT TERMS

Femtosecond spectroscopy, degenerate four wave mixing, electro-optic activity, dendrimers, phase-sensitive-detection, multi-wave mixing, electronic dynamics

16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES 5	19a. NAME OF RESPONSIBLE PERSON
a. REPORT Unclass	b. ABSTRACT Unclass	c. THIS PAGE Unclass			19b. TELEPHONE NUMBER (include area code)

Standard Form 298 (Rev. 8-98)  
Prescribed by ANSI Std. Z39.18

DTIC QUALITY INSPECTED 3

**INSTRUMENTATION FACILITY FOR THE EVALUATION OF  
ELECTRO-OPTIC AND SENSOR PROTECTION MATERIALS  
F49620-99-1-0220**

Final Technical Report

Submitted to

**DR. CHARLES Y-C. LEE**  
**DIRECTORATE OF CHEMISTRY AND MATERIALS SCIENCE**  
**AIR FORCE OFFICE OF SCIENTIFIC RESEARCH/NL**  
**801 N. RANDOLPH STREET, SUITE 732**  
**FAIRFAX, VA 22203-1977**  
**Tel.: (703) 696-7779; Fax: (703) 696-8449**  
**e-mail: charles.lee@afosr.af.mil**

by

**PROFESSOR LARRY R. DALTON**  
**DEPARTMENT OF CHEMISTRY**  
**UNIVERSITY OF WASHINGTON**  
**SEATTLE, WA 98195-1700**  
**Tel.: (206) 543-1686; Fax: (206) 685-8665**  
**e-mail: dalton@chem.washington.edu**

**DISTRIBUTION STATEMENT A**  
**Approved for Public Release**  
**Distribution Unlimited**

  
LARRY R. DALTON      4/25/00  
PRINCIPAL INVESTIGATOR      DATE

## **REVIEW OF OBJECTIVES**

The objective of this contract was to construct an instrumentation facility for the evaluation of electro-optic and sensor protection materials. This required construction of a femtosecond spectroscopic facility with the capability of frequency agility over visible and infrared wavelengths and of phase-sensitive-detection. The femtosecond spectrometer that has been implemented is described in the Journal of Physical Chemistry A, vol. 103, no. 14, pages 2290-2301 (1999). Instrumental capability for the accurate measurement of electro-optic coefficients is also an objective.

## **STATUS of EFFORT**

All instrumentation proposed has been implemented and is currently being used to characterize material under consideration for electro-optic and sensor protection applications. After construction of the proposed facility, careful calibration was carried out over a period of several months to assure that reliable electro-optic coefficients and two photon absorption coefficients could be obtained with the new facility. Following calibration testing, the facility has been put to use in characterizing materials of interest to both industrial and government laboratories. In particular, dendrimer materials have been shown to yield record electro-optic and two-photon absorption coefficients.

## PERSONNEL SUPPORTED

No personnel received financial support from this contract. The following individuals worked on assembling and utilizing the instrumentation:

Dr. Larry R. Dalton

Dr. Philip Reid

Mr. Brendon Carlson

Mr. Gregory Phelan

Mr. Daniel Casmir

Mr. Leonard Fifield

## AFOSR F49620-99-1-0220 Publications

1. I. Liakatas, C. Cai, M. Bosch, M. Jager, Ch. Bosshard, P. Gunter, C. Zhang, and L. R. Dalton, Importance of Intermolecular Interactions on the Nonlinear Optical Properties of Poled Polymers, Appl. Phys. Lett., **76**, 1368-70 (2000).
2. T. M. Londergan, C. Zhang, A. Ren, L. Dalton, Dendrimer Functionalized NLO Chromophores, Polym. Prepr., **41**, 783-4 (2000).
3. L. R. Dalton, H. R. Fetterman, F. Wang, W. Steier, A. W. Harper, A. S. Ren, and J. Michael, Class of High Hyperpolarizability Organic Chromophores and Process for Synthesizing the Same, U.S. Patent 6,067,186 (May 23, 2000).
4. C. Wang, C. Zhang, P. Wang, P. Zhu, C. Ye, and L. R. Dalton, High Tg Donor-Embedded Polyimides for Second-Order Nonlinear Optical Applications, Polymer, **41**, 2583-90 (2000).
5. D. Huang, C. Zhang, L. R. Dalton, and W. P. Weber, "Synthesis and Characterization of Main-Chain NLO Oligomers and Polymers That Contain 4-Dialkylamino-4'-(alkyl-sulfonyl) azobenzene Chromophores," J. Polym. Sci. Part A: Polym. Chem., **38**, 546-59 (2000).
6. D. Huang, C. Zhang, L. R. Dalton, and W. P. Weber, Second-Order NLO Property Study of Main-Chain Oligomers and Polymers, Polym. Prepr., **41**, 330-40 (2000).
7. T. E. Hogen-Esch, J. Pan, M. Chen, L. R. Dalton, W. Warner, and M. He, Synthesis of Block Copolymers Containing a Main Chain Polymeric NLO Segment, Polym. Prepr., **41**, 940-1 (2000).
8. J. Pan, T. E. Hogen-Esch, M. Chen, W. Warner, and L. R. Dalton, Hydrogen Bond-Mediated Self-Assembly of Block Copolymers Containing NLO Segments, Polym. Prepr., **41**, 963-4 (2000).
9. J. Pan, M. Chen, W. Warner, M. He, L. Dalton, T. Hogen-Esch, Synthesis of Block Copolymers Containing a Main Chain Polymeric NLO Segment, Macromolecules, **33**, 4673-81 (2000).
10. D. Huang, C. Zhang, L. R. Dalton, and W. P. Weber, Sequential Synthesis of Main-Chain NLO Oligomers which Contain 4-Dialkylamino-4'-(alkylsulfonyl)azobenzene Chromophores, Designed Monomers and Polymers, **3**, 95-111 (2000).
11. C. Zhang, M. Lee, A. Winkleman, H. Northcroft, C. Lindsey, A. K. Y. Jen, T. Londergan, W. H. Steier, and L. R. Dalton, Realization of Polymeric Electro-Optic Modulators With Less Than One Volt Drive Voltage Requirement, Materials Research Society Symposium Proceedings, Vol. 598, Electrical, Optical and Magnetic Properties of Organic Solid State Materials (Materials Research Society, Pittsburgh, 2000) pp.BB4.2.1-12; also available in electronic format from the MRS website.
12. A. K. Y. Jen, H. Ma, X. Wu, J. Wu, and L. R. Dalton, High Performance Side-Chain Aromatic Polyquinones for Electro-Optic (E-O) Devices, Materials Research Society

Symposium Proceedings, Vol. 598, Electrical, Optical and Magnetic Properties of Organic Solid State Materials (Materials Research Society, Pittsburgh, 2000) pp. BB4.4.1-6; also available in electronic format from the MRS website.

13. H. Ma, B. Chen, L. R. Dalton, and A. K.-Y. Jen, Novel Perfluorocyclobutane-Containing Thermoset Polymers and Dendrimers in Electro-Optics, Proc. PMSE, **83**, 165-6 (2000).
14. J. N. Woodford, C. H. Wang, C. Zhang, and L. R. Dalton, Measurement of the First Molecular Hyperpolarizability of Charge-Transfer Chromophores Using Hyper-Rayleigh Scattering at Multiple Infrared Wavelengths, Proc. PMSE, **83**, 218 (2000).
15. G. Todorova, J. Chen, and L. R. Dalton, New NLO Chromophores Based on 2-Amino-1,1,2-Tricyano-1-Propene Acceptor, Proc. PMSE, **83**, 256-7 (2000).
16. D. Huang, X. Jiang, G. D. Phelan, T. M. Londergan, A. K.-Y. Jen, and L. R. Dalton, Organic Electroluminescent Device Based on Phenanthrene Containing Europium Complex, Proc. PMSE, **83**, 266-7 (2000).
17. L. R. Dalton, Design and Assembly of Nanostructured Electro-Optic Polymers, Proc. PMSE, **83**, 554 (2000).
18. L. R. Dalton, Nonlinear Optical Polymeric Materials: From Chromophore Design to Commercial Applications, in Advances in Polymer Science (Springer-Verlag, Heidelberg, 2001) in press.
19. T. Londergan and L. R. Dalton, Control of Optical Properties Using Various Nanostructured Materials: Dendrimers, Phase-Separating Block Copolymers, and Polymer Microspheres, Mol. Cryst. Liq. Cryst., in press.
20. J. N. Woodford, C. H. Wang, C. Zhang, and L. R. Dalton, Resonant and Nonresonant Hyper-Rayleigh Scattering of Charge-Transfer Chromophores, Appl. Phys. Lett., submitted.
21. L. R. Dalton, B. Robinson, W. H. Steier, C. H. Zhang, and G. Todorova, Systematic Optimization of Polymeric Electro-Optic Materials, Proc. SPIE, **4114**, in press (2000).
22. C. H. Zhang, G. Todorova, C. Wang, T. Londergan, and L. R. Dalton, Synthesis of New Second Order Nonlinear Optical Chromophores: Implementing Lessons Learned from Theory and Experiment, Proc. SPIE, **4114**, in press (2000).
23. L. R. Dalton, Electrooptic Applications, in Encyclopedia of Polymer Science and Technology, (J. Kroschwitz, ed.) John Wiley & Sons, New York, 2000.
24. L. R. Dalton, B. H. Robinson, and W. H. Steier, Production of High Bandwidth Polymeric Electro-Optic Modulators with V<sub>π</sub> Voltages of Less Than 1 Volt, Mol. Cryst. Liq. Cryst.: Nonlin. Opt., in press (2000).
25. L. R. Dalton, Realization of Sub 1 Volt Polymeric EO Modulators Through Systematic Definition of Material Structure/Function Relationships, Synthetic Metals, in press (2000).

Awards of the Principal Investigator:

- 2000 Distinguished Alumni Award of Michigan State University
- 1996 Richard C. Tolman Award of the Southern California Section, American Chemical Society
- Paul C. Cross Lectureship, University of Washington, Seattle, WA (1996)
- NASA Lecturer, 54th Frontiers in Chemistry Lecture Series (1995), Case Western Reserve University
- The 1990 Univ. of Southern California Associates Award for Creativity in Research and Scholarship

- 1986 Burlington Northern Foundation Faculty Achievement Award
- NIH Research Career Development Awards (Two Awards; 75-81)
- Camille and Henry Dreyfus Teacher-Scholar Award (75-77)
- Alfred P. Sloan Fellowship (74-77)

Total Number of Publications of the PI in the past twelve months: 59